

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows. The claims are in the format as required by 35 C.F.R. § 1.121.

1. (Currently Amended) A method for detecting gaps in data, comprising:
 defining at least a first stream and a second stream from a network topology which represents a logical website, wherein each of the streams is a logical data source comprising a ~~grouping of one or more physical components of the network topology or one or more logical groupings~~ servers, wherein each server has hosts, data locations, or a combination thereof associated with the physical components of the network topology server, and wherein each server is responsible for running a different portion of the logical website;
 associating incoming data with one of the streams based on a source of the incoming data, wherein the source is one of the one or more servers or one of the hosts or data locations associated therewith;
 calculating a data loss for each stream, wherein the data loss is calculated between a next event and a last event in the stream; and
 processing determining whether each stream has a gap based upon the calculated data loss.
2. (Cancelled).
3. (Previously Presented) The method of claim 1, further comprising stopping the processing of every stream if the first or second stream's calculated data loss is greater than a first user defined threshold.
4. (Original) The method of claim 3, wherein the processing resumes according to a second user defined threshold.
5. (Previously Presented) The method of claim 1, wherein the data loss is a time difference between the occurrence of the next event and the last event.

6. (Original) The method of claim 5, further comprising stopping the processing of every stream if the first or second stream's calculated time difference is greater than a first time period.
7. (Original) The method of claim 6, further comprising storing any data received while processing is stopped.
8. (Original) The method of claim 7, further comprising sending a notification.
9. (Original) The method of claim 7, further comprising resuming processing of the first or second stream upon reception of more data associated with the first or second stream.
10. (Original) The method of claim 7, further comprising resuming the processing of each stream in which the calculated time difference is not greater than the first time period.
11. (Original) The method of claim 7, wherein the processing resumes after a second time period.

12. (Currently Amended) A system for extracting a video signal from compressed video data, comprising a tangible storage medium containing software instructions operable for:

defining at least a first stream and a second stream from a network topology which represents a logical website, wherein each of the streams is a logical data source comprising a grouping of one or more physical components of the network topology or one or more logical groupings servers, wherein each server has hosts, data locations, or a combination thereof associated with the physical components of the network topology server, and wherein each server is responsible for running a different portion of the logical website;

associating incoming data with one of the streams based on a source of the incoming data, wherein the source is one of the one or more servers or one of the hosts or data locations associated therewith;

calculating a data loss for each stream, wherein the data loss is calculated between a next event and a last event in the stream; and

processing determining whether each stream has a gap based upon the calculated data loss.

13. (Cancelled).

14. (Previously Presented) The system of claim 12, further comprising stopping the processing of every stream if the first or second stream's calculated data loss is greater than a first user defined threshold.

15. (Original) The system of claim 14, wherein the processing resumes according to a second user defined threshold.

16. (Previously Presented) The system of claim 12, wherein the data loss is a time difference between the occurrence of the next event and the last event.

17. (Original) The system of claim 16, further comprising stopping the processing of every stream if the first or second stream's calculated time difference is greater than a first time period.

18. (Original) The system of claim 17, further comprising storing any data received while processing is stopped.
19. (Original) The system of claim 18, further comprising sending a notification.
20. (Original) The system of claim 18, further comprising resuming processing of the first or second stream upon reception of more data associated with the first or second stream.
21. (Original) The system of claim 18, further comprising resuming the processing of each stream in which the calculated time difference is not greater than the first time period.
22. (Original) The system of claim 18, wherein the processing resumes after a second period of time.

23. (Currently Amended) A ~~software system or computer program for extracting a video signal from compressed video data, comprising a tangible storage medium containing computer program instructions translatable for:~~

defining at least a first stream and a second stream from a network topology which represents a logical website, wherein each of the streams is a logical data source comprising a ~~grouping of one or more physical components of the network topology or one or more servers, wherein each server has hosts, data locations, or a combination thereof~~ logical groupings associated with the server, and wherein each server is responsible for running a different portion of the logical website ~~physical components of the network topology;~~

associating incoming data with one of the streams based on a source of the incoming data, wherein the source is one of the one or more servers or one of the hosts or data locations associated therewith;

calculating a data loss for each stream, wherein the data loss is calculated between a next event and a last event in the stream; and

~~processing~~ determining whether each stream has a gap based upon the calculated data loss.

24. (Cancelled).

25. (Previously Presented) The software system or computer program of claim 23, further comprising stopping the processing of every stream if the first or second stream's calculated data loss is greater than a first user defined threshold.

26. (Original) The software system or computer program of claim 25, wherein the processing resumes according to a second user defined threshold.

27. (Previously Presented) The software system or computer program of claim 23, wherein the data loss is a time difference between the occurrence of the next event and the last event.

28. (Original) The software system or computer program of claim 27, further comprising stopping the processing of every stream if the first or second stream's calculated time difference is greater than a first time period.

29. (Original) The software system or computer program of claim 28, further comprising storing any data received while processing is stopped.

30. (Original) The software system or computer program of claim 29, further comprising sending a notification.

31. (Original) The software system or computer program of claim 29, further comprising resuming processing of the first or second stream upon reception of more data associated with the first or second stream.

32. (Original) The software system or computer program of claim 29, further comprising resuming the processing of each stream in which the calculated time difference is not greater than the first time period.

33. (Original) The software system or computer program of claim 29, wherein the processing resumes after a second period of time.